



OMMELIFT



Crawler Lifts





Telescopic Boom Platform



Articulated Boom Platform

Articulated



25.00 RXJ



6.91m/
6.16m



1.99m



1.38m/
0.89m



4.84m/
3.67m



1.25x
0.80m



Max
200kg



Max
40%



Max
35%




Max
35%



4200kg



B:0.45km/h
D:1.65km/h



Battery only version available

* = Option

Articulated



2750 RXJ



7.34m/
6.59m



2.19m



1.10m/
1.50m



4.59m/
3.72



1.25x
0.80m



Max
250kg



Max
30%



Max
35%




Max
35%



5180kg




B:1.45km/h
D:2.30k



Battery only version available

* = Option

Telescopic



2200 R



6.44m/
5.69m



1.99m



1.10m



*
1.10m/
1.50m



4.59m/
3.72m



1.25x
0.80m



Max
200kg



Max
40%



Max
25%




Max
35%



3050kg



B:0.45km/h
D:1.45km/h



Battery only version available

* = Option

Telescopic



2350 RJ



5.88m/
6.63m



1.99m



1.10m



*
1.10m/
1.50m



4.59m/
3.72m



1.25x
0.80m



Max
200kg



Max
40%



Max
25%




Max
35%



3150kg




B:0.45km/h
D:1.45km/h



Battery only version available

* = Option

Telescopic



2600 R



7.31m/
6.56m



1.99m



1.10m



*
1.10m/
1.50m



4.59m/
3.72m



1.25x
0.80m



Max
200kg



Max
40%



Max
25%



Max
35%




3625kg



B:0.45km/h
D:1.45km/h

Battery only version available



* = Option

Telescopic



2750 RJ



7.50m/
6.75m



1.99m



1.10m



*
1.10m/
1.50m



4.59m/
3.72m



1.25x
0.80m



Max
200kg



Max
40%



Max
25%




Max
35%



3725kg



B:0.45km/h
D:1.45km/h



Battery only version available

* = Option

Telescopic



3000 R



8.10m/
7.35m



1.99m



1.10m



*
1.10m/
1.50m



4.59m/
3.72m



1.25x
0.80m



Max
200kg



Max
40%



Max
25%




Max
35%



3900kg



B:0.45km/h
D:1.45km/h



Battery only version available

* = Option

Telescopic



3150 RJ



8.29m/
7.54m



1.99m



1.10m



*
1.10m/
1.50m



4.59m/
3.72m



1.25x
0.80m



Max
200kg



Max
40%



Max
25%




Max
35%



4000kg



B:0.45km/h
D:1.45km/h



Battery only version available

* = Option

Telescopic



3710 RJ



8.04m/
7.44m



1.99m



1.10m/
1.50m



4.78m/
3.86m



1.25x
0.80m



Max
250kg



Max
30%



Max
35%




Max
35%



5700kg



B:1.45km/h
D:2.30km/h



Battery only version available

* = Option

Telescopic



4200 RJ



8.93m/
8.33m



1.99m



1.35m/
1.75m



5.33m/
4.53m



1.25x
0.80m



Max
230kg



Max
27%



Max
27%




Max
30%



6900kg



B:1.45km/h
D:2.30km/h



Battery only version available

* = Option

Insulated



2650 iRX - 46kV



10.24m



2.42m



1.10m/
1.50m



4.59m/
3.72m



0.80x
0.65m



Max
136kg



Max
40%



Max
35%



Max
35%




6075kg



B:1.45km/h
D:2.30km/h

Battery only version available



* = Option



Subject to change without notice. Data, dimensions and features are indicative and not binding

OMMELIFT



CRAWLER 0621

Find more information and your local dealer on
www.ommelift.com